







Wet Tampon, Absorbable Wet Tampon, Push&stop Tampon, Ampule, Spray







• TAMPON

3 ml (2.5cm x 7cm) / 1 box x 12 units 10 ml (5cm x 7.5cm) / 1 box x 12 units 100 ml (20cm x 20cm) / 1 box x 12 units











ABSORBABLE WET TAMPON

- 0,5
- ml. (1 cm. x 2,5 cm.) / 1 box x 1 unit ml. (2 cm. x 2,5 cm.) / 1 box x 1 unit
- 2,5 ml. (2,5 cm. x 5 cm.) / 1 box x 1 unit
- 5 ml. (5 cm. x 5 cm.) / 1 box x 1 unit
- ml. (5 cm. x 10 cm.) / 1 box x 1 unit 10









• PUSH&STOP

2 ml. (15 cm. x 15 cm.) / 1 box x 6 unit 3,5 ml. (18 cm. x 22 cm.) / 1 box x 6 unit







• 5 ml • 10 ml • 25 ml • 50 ml • 100 ml







• AMPULE 24 units - 1 box

ankaferd BLOOD STOPPER Haemostatic Agent

Ankaferd BloodStopper (ABS) links to life...

Haild as the discovery of the century in hemorrhage control, Ankaferd Bloodstopper is a stable and sterile medical product of standard vegetable content which serves as a haemostasis regulator and displays fast haemostatic effect when applied to control minor or major hemorrhages due to exterior wounds, traumatic cuts, dental operations, spontaneous or surgical procedures.



Formula

100 ml product contains; Urtica dioica (dried root extract) 6 mg, Vitis vinifera (dried leaf extract) 8 mg, Glycrrhiza glabra (dried leaf exrtact) 9 mg, Alpinia officinarum (dried leaf extract) 7 mg, Thymus vulgaris (dried grass extract) 5 mg.

Effective Mechanism

Independent of the classic coagulation cascade system, Ankaferd BloodStopper shows haemostatic effect in a protein network environment through vital physiological erythrocyte aggregation. This process takes place in a matter of split seconds in vitro and seconds in vivo environments.



Medical Properties

Ankaferd BloodStopper, a hemorrhage stopping preparation, forms a network inside plazma or serum fast (in a matter of split seconds). General haemostatic and biochemical tests have shown that the mentioned network is formed via the interaction between Ankaferd BloodStopper and proteins in blood; but primarily via the products interaction with fibrinogen. The tests also show that red spheres provide vital aggregation. At this stage, the process of holding hemorrhage at a certain level to allow tissue repair/restoration is primarily related with protein erythrocyte interaction. Blood cells too take their part in the network. Independent of the physiological haemostatic process tissue factor related to blood coagulation, Ankaferd BloodStopper, developes without effecting this system. Therefore Ankaferd BloodStopper is not only effective on patients with normal haemostatic values, but also on those who are primary and secondary haemostasis defective. Ankaferd BloodStopper can be employed as an aide product in clinique procedures for stopping intensive dental hemorrhaging, including mucousal fissures. Ankaferd BloodStopper must not be injected into vein or blood circulation system.



Ankaferd BloodStopper can be used in many areas

Ambulances, emergency wards, first aid centres, hospitals, dental clinics, health units, police forces, armed forces, fire departments, natural disaster zones, search and rescue teams, first aid kits, schools, homes, offices, land/air/sea trasport vehicles...

Ankaferd BloodStopper provides fast haemostasis, independent of blood coagulation factors

Ankaferd BloodStopper is effective and safe in controlling external and teeth hemorrhage of patients hemophilic, diabetic and those using anti coagulan (Coumadin) and anti aggregator (Aspirin, Heparin).



Ankaferd BloodStopper

• is the first Turkish product officially licensed by the Turkish Ministry of Health • is 100% vegetal and contains no inorganic/synthetic additives and alcohol • does not cause irritation • is sterile and will not lose this property • does away with germs inside and around applied area • has no allergic effect • does not pose a risk to human health • is in liquid form, therefore very easy to apply • does not need to be cleaned off the area applied • has no special storage condition, does not need cold chain etc

Side/Adverse Effects

Ankaferd BloodStopper has no known side effect. If an undesired effect is seen contact Türkiye Farmakovijilans Merkezi (Pharmacovigilance Centre of Turkey) [TÜFAM].

Drug Interaction and Other Interactions

- Ankaferd BloodStopper has no known adverse interaction with drugs used by patients
- Hypoallergenic.

Commercial Presentation Form

Ankaferd BloodStopper is currently on sale in the following packages:

Ankaferd BloodStopper Tampon: (2.5cm x 7cm – 3ml.)-(5cm x 7,5cm- 10ml.)-(20cm x 20cm -100ml.) Ankaferd Tampons in a box.

Ankaferd BloodStopper Spray: 5ml, 10ml, 25ml, 50ml and 100ml.

Ankaferd BloodStopper Ampule: (24 units)

Permit Date and Number: 25.05.07-2007/32 • 05.07.07-2007/31 • 31.05.07-2007/35



Ref: Haemostatic Actions Of The Folkloric Medicinal Plant Extract, Ankaferd Blood Stopper. J Int Med Res. (2008, Jan.) H Göker, IC Haznedaroğlu, S Erçetin, S Kirazlı, U Akman, Y Öztürk, HC Fırat.



ankaferd STOPPER® Haemostatic Agent

ankaferd

